Heredity **76** (1996) 663–666

Author index

Abbott, R.J. *see* Gribel, R.

Ahuja, M.R., Genetic nature of a nontumour mutant isolated from tumour-prone amphidiploid *Nicotiana glauca-langsdorffii* (GGLL): a critical assessment, **335**

Alvarez, G., Zapata, C., Measuring selective effects of modifier gene polymorphisms on the *Bare* locus of *Drosophila subobscura*, **404**

Aman, R.A. *see* Arctander, P.

Andriamanga, M. *see* Rognon, X.

Antonovics, J. *see* Levy, F.

Apostol, B.L., Black, W.C., IV, Reiter, P., Miller, B.R., Population genetics with RAPD-PCR markers: the breeding structure of *Aedes aegypti* in Puerto Rico, **325**

Apostolidis, A., Karakousis, Y., Triantaphyllidis, C., Genetic divergence and phylogenetic relationships among *Salmo trutta* L. (brown trout) populations from Greece and other European countries, **551**

Arctander, P., Kat, P.W., Aman, R.A., Siegismund, H.R., Extreme genetic differences among populations of *Gazella granti*, Grant's gazelle, in Kenya, **465**

Asmussen, M.A., Basten, C.J., Constraints and normalized measures for cytonuclear disequilibria, **207**

Bahrman, N. *see* de Vienne, D.

Bandi, C. *see* Comincini, S.

Basten, C.J. *see* Asmussen, M.A.

Beckert, M. *see* de Vienne, D.

Belhassen, E. *see* Cuellar, T.

Bella, J.L. *see* Cuellar, T.

Black, W.C., IV *see* Apostol, B.L.

Bonhomme, J. *see* Simon, J.-C.

Borsa, P., Coustau, C., Single-stranded DNA conformation polymorphism at the *Rdl* locus in *Hypothenemus hampei* (Coleoptera: Scolytidae), **124**

Borsa, P., Kjellberg, F., Experimental evidence for pseudoarrhenotoky in *Hypothenemus hampei* (Coleoptera: Scolytidae), **130**

Boynton, J.E. *see* Levy, F.

Bradford, M.J. *see* Roff, D.A.

Brookfield, J.F.Y., Genetic evidence for repression of somatic P element movements in *Drosophila melanogaster* consistent with a role for the KP element, **384**

Brooks, R.J., Tobias, A.M., Lawrence, M.J., The population genetics of the self-incompatibility polymorphism in *Papaver rhoeas*. XI. The effects of limited pollen and seed dispersal, overlapping generations and variation in plant size on the variance of *S*-allele frequencies in populations at equilibrium, **367**

Burnet, B. *see* Ruiz-Dubreuil, G.

Burstin, J. *see* de Vienne, D.

Cabrero, J. *see* Herrera, J.A.; López-León, M.D.

Camacho, J.P.M. *see* Herrera, J.A.; López-León, M.D.

Capel, J. *see* Rodríguez Iñigo, E.

Cariou, M.-L. *see* Da Lage, J.-L.

Carrel, E. *see* Simon, J.-C.

Case, A.L., Lacey, E.P., Hopkins, R.G., Parental effects in *Plantago lanceolata* L. II. Manipulation of grandparental temperature and parental flowering time, **287**

Ceccarelli, M. *see* Minelli, S.

Chapman, T.W., Stewart, S.C., Extremely high levels of inbreeding in a natural population of the free-living wasp *Ancistrocerus antilope* (Hymenoptera: Vespidae: Eumeninae), **65**

Cionini, P.G. *see* Minelli, S.

Clancy, D. *see* Hoffmann, A.A.

Clemeno, T.P. *see* Virk, P.S.

Coluccia, E. *see* Deiana, A.M.

Comincini, S., Sironi, M., Bandi, C., Giunta, C., Rubini, M., Fontana, F., RAPD analysis of systematic relationships among the Cervidae, **215**

Confalonieri, V. *see* Matrajt, M.

Connolly, K. *see* Ruiz-Dubreuil, G.

Cook, L.M., Gao, G., Test of association of morphological variation with heterozygosity in the snail *Cepaea nemoralis*, **118**

Coustau, C. *see* Borza, P.

Couvet, D., Ronfort, J., Relationship between inbreeding depression and selfing: the case of intrafamily selection, **561**

Crawford, T.J. *see* Oxford, G.S.

Cronin, J.T., Strong, D.R., Genetics of oviposition success of a thelytokous fairyfly parasitoid, *Anagrus delicatus*, **43**

Crosetti, D. *see* Rossi, A.R.

Cuellar, T., Belhassen, E., Fernández-Calvín, B., Orellana, J., Bella, J.L., Chromosomal differentiation in *Helianthus annuus* var. *macrocarpus*: heterochromatin characterization and rDNA location, **586**

Da Lage, J.-L., Klarenberg, A., Cariou, M.-L., Variation in sex-, stage- and tissue-specific expression of the amylase genes in *Drosophila ananassae*, **9**

D'Adamo, P. *see* Malacrida, A.R.

Damerval, C. *see* de Vienne, D.

Day, T.H. *see* Gilburn, A.S.

de Vienne, D., Burstin, J., Gerber, S., Leonardi, A., Le Guilloux, M., Murigneux, A., Beckert, M., Bahrman, N., Damerval, C., Zivy, M., Two-dimensional electrophoresis of proteins

as a source of monogenic and codominant markers for population genetics and mapping the expressed genome, **166**
Dedryver, C.A. *see* Simon, J.-C.
Deiana, A.M., Coluccia, E., Milia, A., Salvadori, S., Supernumerary chromosomes in *Nephrops norvegicus* L. (Crustacea, Decapoda), **92**
Delph, L.F. *see* Havens, K.
Deng, H.-W., Environmental and genetic control of sexual reproduction in *Daphnia*, **449**
Diniz-Filho, J.A.F. *see* Pignata, M.I.B.
Doerge, R.W., Rebaã, A., Significance thresholds for QTL interval mapping tests, **459**
Duncan, J. *see* Hoffmann, A.A.

Excoffier, L. *see* Slatkin, M.

Fernández-Calvín, B. *see* Cuellar, T.; Rodríguez Iñigo, E.
Filippucci, M.-G. *see* Michaux, J.R.
Fons, R. *see* Michaux, J.R.
Fontana, F. *see* Comincini, S.
Fontdevila, A. *see* Marín, I.
Ford-Lloyd, B.V. *see* Jones, G.H.; Virk, P.S.
Furness, P. *see* Ruiz-Dubreuil, G.

Gao, G. *see* Cook, L.M.
García de la Vega, C. *see* Rodríguez Iñigo, E.
Gasperi, G. *see* Malacrida, A.R.
Gerber, S. *see* de Vienne, D.
Gilburn, A.S., Day, T.H., The evolution of female choice when the preference and the preferred trait are linked to the same inversion system, **19**
Gillespie, R.G. *see* Oxford, G.S.
Gillham, N.W. *see* Levy, F.
Gittenberger, E. *see* van Batenburg, F.H.D.
Giunta, C. *see* Comincini, S.
Gliddon, C.J. *see* Raybould, A.F.
Gornung, E. *see* Rossi, A.R.
Goudet, J. *see* Raybould, A.F.
Gray, A.J. *see* Raybould, A.F.
Gribel, R., Abbott, R.J., Genetics of cytosolic phosphogulcose isomerase (PGI) variation in the Amazonian tree *Pseudobombax munguba* (Bombacaceae), **531**
Gu, X., Zera, A.J., Quantitative genetics of juvenile hormone esterase, juvenile hormone binding and general esterase activity in the cricket *Gryllus assimilis*, **136**
Guglielmino, C.R. *see* Malacrida, A.R.
Guyomard, R. *see* Rognon, X.

Havens, K., Delph, L.F., Differential seed maturation uncouples fertilization and siring success in *Oenothera organensis* (Onagraceae), **623**
Hebert, P.D.N. *see* Simon, J.-C.
Herrera, J.A., López-León, M.D., Cabrero, J., Shaw, M.W., Camacho, J.P.M., Evidence for B chromosome drive suppression in the grasshopper *Eyprepocnemis plorans*, **633**
Hewitt, G.M. *see* Juan, C.
Hoffmann, A.A., Clancy, D., Duncan, J., Naturally-occurring *Wolbachia* infection in *Drosophila simulans* that does not cause cytoplasmic incompatibility, **1**
Holtsford, T.P., Variation in inbreeding depression among families and populations of *Clarkia tembloriensis* (Onagraceae), **83**
Hopkins, R.G. *see* Case, A.L.

Jackson, M.T. *see* Virk, P.S.
James, S.H. *see* Waycott, M.
Johannesen, J., Loeschcke, V., A hierarchical analysis of genetic structure and variability in patchily distributed coexisting *Chiastocheta* species (Diptera: Anthomyiidae), **437**
Jones, G.H., Khazanehdari, K.A., Ford-Lloyd, B.V., Meiosis in the leek (*Allium porrum* L.) revisited. II. Metaphase I observations, **186**
Juan, C., Oromi, P., Hewitt, G.M., Phylogeny of the genus *Hegeter* (Tenebrionidae, Coleoptera) and its colonization of the Canary Islands deduced from Cytochrome Oxidase I mitochondrial DNA sequences, **392**

Kambhampati, S., Luykx, P., Nalepa, C.A., Evidence for sibling species in *Cryptocercus punctulatus*, the wood roach, from variation in mitochondrial DNA and karyotype, **485**
Karakousis, Y. *see* Apostolidis, A.
Kat, P.W. *see* Arctander, P.
Keese, M.C., Feeding responses of hybrids and the inheritance of host-use traits in leaf feeding beetles (Coleoptera: Chrysomelidae), **36**
Khazanehdari, K.A. *see* Jones, G.H.
Kjellberg, F. *see* Borsa, P.
Klarenberg, A. *see* Da Lage, J.-L.
Kohn, J.R. *see* Richman, A.D.

Lacey, E.P. *see* Case, A.L.
Lamnissou, K., Loukas, M., Zouros, E., Incompatibilities between Y chromosome and autosomes are responsible for male hybrid sterility in crosses between *Drosophila virilis* and *Drosophila texana*, **603**
Larsson, K., Genetic and environmental effects on the timing of wing moult in the barnacle goose, **100**
Lawrence, M.J. *see* Brooks, R.J.
Lawrence, M.J., Number of incompatibility alleles in clover and other species, **610**
Le Gallic, J.-F. *see* Simon, J.-C.
Le Guilloux, M. *see* de Vienne, D.
Leonardi, A. *see* de Vienne, D.
Levy, F., Antonovics, J., Boynton, J.E., Gillham, N.W., A population genetic analysis of chloroplast DNA in *Phacelia*, **143**
Libois, R.M. *see* Michaux, J.R.
Loeschcke, V. *see* Johannesen, J.

López-León, M.D. *see* Herrera, J.A.
López-León, M.D., Cabrero, J., Camacho, J.P.M., Negatively assorted gamete fertilization for supernumarary heterochromatin in two grasshopper species, **651**
Loukas, M. *see* Lamnissou, K.
Lu, M.-Z. *see* Szmidt, A.E.
Luykx, P. *see* Kambhampati, S.

McAndrew, B. *see* Rognon, X.
Malacrida, A.R., Guglielmino, C.R., D'Adamo, P., Torti, C., Marinoni, F., Gasperi, G., Allozyme divergence and phylogenetic relationships among species of tephritid flies, **592**
Marín, I., Fontdevila, A., Evolutionary conservation and molecular characteristics of repetitive sequences of *Drosophila koepferae*, **355**
Marinoni, F. *see* Malacrida, A.R.
Matagne, R.F. *see* Michaux, J.R.
Matrajt, M., Confalonieri, V., Vilardi, J., Parallel adaptive patterns of allozyme and inversion polymorphisms on an ecological gradient, **346**
Matsumura, M., Genetic analysis of a threshold trait: density-dependent wing dimorphism in *Sogatella furcifera* (Horváth) (Hemiptera: Delphacidae), the whitebacked planthopper, **229**
Matthee, C.A., Robinson, T.J., Mitochondrial DNA differentiation among geographical populations of *Pronolagus rupestris*, Smith's red rock rabbit (Mammalia: Lagomorpha), **514**
Messier, S., Mitton, J.B., Heterozygosity at the malate dehydrogenase locus and developmental homeostasis in *Apis mellifera*, **616**
Michaux, J.R., Filippucci, M.-G., Libois, R.M., Fons, R., Matagne, R.F., Biogeography and taxonomy of *Apodemus sylvaticus* (the woodmouse) in the Tyrrhenian region: enzymatic variations and mitochondrial DNA restriction pattern analysis, **267**
Milia, A. *see* Deiana, A.M.
Miller, B.R. *see* Apostol, B.L.
Minelli, S., Moscariello, P., Ceccarelli, M., Cionini, P.G., Nucleotype and phenotype in *Vicia faba*, **524**
Mitton, J.B. *see* Messier, S.
Mogg, R.J. *see* Raybould, A.F.
Moscariello, P. *see* Minelli, S.
Muranty, H., Power of tests for quantitative trait loci detection using full-sib families in different schemes, **156**
Murigneux, A. *see* de Vienne, D.

Nalepa, C.A. *see* Kambhampati, S.
Newbury, H.J. *see* Virk, P.S.

Ohara, M., Takeda, H., Ohno, Y., Shimamoto, Y., Variations in the breeding system and the population genetic structure of *Trillium kamtschaticum* (Liliaceae), **476**
Ohno, Y. *see* Ohara, M.
Orellana, J. *see* Cuellar, T.
Oromi, P. *see* Juan, C.
Oxford, G.S., Crawford, T.J., Pernyes, K., Why are capitulum morphs associated with other characters in natural populations of *Senecio vulgaris* (goundsel)?, **192**
Oxford, G.S., Gillespie, R.G., Genetics of a colour polymorphism in *Theridion grallator* (Araneae: Theridiidae), the Hawaiian happy-face spider, from Greater Maui, **238**
Oxford, G.S., Gillespie, R.G., Quantum shifts in the genetic control of a colour polymorphism in *Theridion grallator* (Araneae: Theridiidae), the Hawaiian happy-face spider, **249**
Oxford, G.S., Gillespie, R.G., The effects of genetic background on the island-specific control of a colour polymorphism in *Theridion grallator* (Araneae: Theridiidae), the Hawaiian happy-face spider, **257**

Pernyes, K. *see* Oxford, G.S.
Piepho, H.-P., Comparing cultivar means in multilocation trials when the covariance structure is not circular, **198**
Pigliucci, M., Schlichting, C.D., Reaction norms of *Arabidopsis*. IV. Relationships between plasticity and fitness, **427**
Pignata, M.I.B., Diniz-Filho, J.A.F, Phylogenetic autocorrelation and evolutionary constraints in worker body size of some neotropical stingless bees (Hymenoptera: Apidae), **222**
Pijls, J.W.A.M., van Steenbergen, H.J., van Alphen, J.J.M., Asexuality cured: the relations and differences between sexual and asexual *Apoanagyrus diversicornis*, **506**
Pooni, H.S. *see* Virk, P.S.

Raybould, A.F., Goudet, J., Mogg, R.J., Gliddon, C.J., Gray, A.J., Genetic structure of a linear population of *Beta vulgaris* ssp. *maritima* (sea beet) revealed by isozyme and RFLP analysis, **111**
Rebaã, A. *see* Doerge, R.W.
Reiter, P. *see* Apostol, B.L.
Richman, A.D., Uyenoyama, M.K., Kohn, J.R., *S*-allele diversity in a natural population of *Physalis crassifolia* (Solanaceae) (ground cherry) assessed by RT-PCR, **497**
Robinson, T.J. *see* Matthee, C.A.
Rodríguez Iñigo, E., Fernández-Calvín, B., Capel, J., García de la Vega, C., Equilocality and heterogeneity of constitutive heterochromatin: *in situ* localization of two families of highly repetitive DNA in *Dociostaurus genei* (Orthoptera), **70**
Roff, D.A., Bradford, M.J., Quantitative genetics of the trade-off between fecundity and wing dimorphism in the cricket *Allonembius socius*, **178**
Rognon, X., Andriamanga, M., McAndrew, B., Guyomard, R., Allozyme variation in natural and cultured populations in two tilapia species: *Oreochromis niloticus* and *Tilapia zillii*, **640**
Ronfort, J. *see* Couvet, D.
Rossi, A.R., Crosetti, D., Gorung, E., Sola, L., Cytogenetic

analysis of global populations of *Mugil cephalus* (striped mullet) by different staining techniques and fluorescent *in situ* hybridization, **77**

Rubini, M. *see* Comincini, S.

Ruiz-Dubreuil, G., Burnet, B., Connolly, K., Furness, P., Larval foraging behaviour and competition in *Drosophila melanogaster*, **55**

Salvadori, S. *see* Deiana, A.M.

Schlichting, C.D. *see* Pigliucci, M.

Shaw, M.W. *see* Herrera, J.A.

Shimamoto, Y. *see* Ohara, M.

Siegismund, H.R. *see* Arctander, P.

Simon, J.-C., Carrel, E., Hebert, P.D.N., Dedryver, C.A., Bonhomme, J., Le Gallic, J.-F., Genetic diversity and mode of reproduction in French populations of the aphid *Rhopalosiphum padi* L., **305**

Sironi, M. *see* Comincini, S.

Slatkin, M., Excoffier, L., Testing for linkage disequilibrium in genotypic data using the Expectation-Maximization algorithm, **377**

Sola, L. *see* Rossi, A.R.

Spaak, P., Temporal changes in the genetic structure of the *Daphnia* species complex in Tjeukemeer, with evidence for backcrossing, **539**

Spruell, P., Thorgaard, G.H., SINE sequences detect DNA fingerprints in salmonid fishes, **317**

Stewart, S.C. *see* Chapman, T.W.

Strong, D.R. *see* Cronin, J.T.

Szmidt, A.E., Wang, X.-R., Lu, M.-Z., Empirical assessment of allozyme and RAPD variation in *Pinus sylvestris* (L.) using haploid tissue analysis, **412**

Takeda, H. *see* Ohara, M.

Thomas, B.J. *see* Thomas, H.M.

Thomas, H.M., Thomas, B.J., Meiosis of triploid *Lolium*. III. Synaptonemal complex formation in the two inverse autoallotriploids of *L. temulentum* and *L. multiflorum*, TTM and TMM, **28**

Thorgaard, G.H. *see* Spruell, P.

Tobias, A.M. *see* Brooks, R.J.

Torti, C. *see* Malacrida, A.R.

Triantaphyllidis, C. *see* Apostolidis, A.

Uyenoyama, M.K. *see* Richman, A.D.

van Alphen, J.J.M. *see* Pijls, J.W.A.M.

van Batenburg, F.H.D., Gittenberger, E., Ease of fixation of a change in coiling: composer experiments on chirality in snails, **278**

van Steenbergen, H.J. *see* Pijls, J.W.A.M.

Vilardi, J. *see* Matrajt, M.

Virk, P.S., Ford-Lloyd, B.V., Jackson, M.T., Pooni, H.S., Clemeno, T.P., Newbury, H.J., Predicting quantitative variation within rice germplasm using molecular markers, **296**

Walker, D.I. *see* Waycott, M.

Wang, J., Inbreeding coefficient and effective size for an X-linked locus in nonrandom mating populations, **569**

Wang, X.-R. *see* Szmidt, A.E.

Waycott, M., Walker, D.I., James, S.H., Genetic uniformity in *Amphibolis antarctica*, a dioecious seagrass, **578**

Zapata, C. *see* Alvarez, G.

Zera, A.J. *see* Gu, X.

Zivy, M. *see* de Vienne, D.

Zouros, E. *see* Lamnissou, K.

Heredity **76** (1996) 667–669

Keyword index

adjusted degrees of freedom, **198**
Aedes aegypti, **325**
Allium porrum, **186**
allozymes, **267, 305, 412, 539, 551, 578, 640**
amylase, **9**
Anagrus delicatus, **43**
analysis of variance, **198**
Apis mellifera, **616**
Apodemus sylvaticus, **267**
Arabidopsis, **427**
asexuality, **305**

B chromosomes, **92, 633, 651**
beetle, **392**
behaviour, **55**
biogeography, **267**
body size, **222**
Bombacaceae, **531**
Branta leucopsis, **100**
breeding systems, **130, 305, 476**
brown trout, **551**

Canary Islands, **392**
capitulum polymorphism, **192**
caste differentiation, **222**
cell growth, **524**
cell proliferation, **524**
Cepaea, **118**
cereal aphid, **305**
Cervidae, **215**
chiasmata, **186**
Chiastocheta, **437**
chirality, **278**
chloroplast DNA, **143, 207**
chromosomal incompatibilities, **603**
chromosomal inversions, **19**
chromosomal races, **485**
chromosome banding, **92, 586**
Chrysomelidae, **36**
circularity, **198**
Cladocera, **539**
Clarkia, **83**
cluster analysis, **592**
Coelopa frigida, **19**
coexistence, **437**
colonization, **392**
colour polymorphism, **238, 249, 257**
common environment, **100**
competition, **55**
computer simulation, **367**
constitutive heterochromatin, **70**
Cryptocercus punctulatus, **485**
cultured stocks, **640**
cyclical parthenogenesis, **449**
Cytochrome Oxidase I, **392**
cytonuclear disequilibria, **207**
cytoplasmic incompatibility, **1**
cytotaxonomy, **77**

Daphnia, **449**
deer, **215**
developmental homeostasis, **616**
diallel cross, **156**
diploid males, **65**
disequilibrium measures, **207**
DNA fingerprints, **317**
DNA sequence, **392**
dominance, **36**
drive suppression, **633**
Drosophila, **355**
D. ananassae, **9**
D. melanogaster, **55, 384**
D. simulans, **1**
D. subobscura, **404**
D. virilis, **603**

effective migration rate, **325**
effective population size, **569**
EM algorithm, **377**
evolution, **178, 427**
evolutionary constraints, **222**
Eyprepocnemis plorans, **633**

F-statistics, **111, 437**
fecundity, **43**
female choice, **19**
fertilization success, **623**
fingerprint, **578**
FISH, **77, 586**
fitness, **427**
fitness estimation, **404**
flowering phenology, **287**
fluctuating asymmetry, **616**
foraging, **55**
founder effect, **192, 249, 257**
frequency-dependent selection, **497**
full-sib families, **156**
full-sib mating, **569**

gametophytic selection, **287, 623**
Gazella granti, **465**
gene diversity, **412**
gene duplication, **9, 531**
gene flow, **111, 437**
gene regulation, **9**
genebank, **296**
genetic control, **335**
genetic correlation, **136, 178**
genetic (co)variation, **449**
genetic distances, **592**
genetic drift, **249, 569**
genetic polymorphism, **551**
genetic resources, **296**
genetic system, **578**
genetic tumours, **335**
genetic uniformity, **578**
genetic variation, **43, 143, 437, 476, 485, 592**
genome asynchrony, **28**
genome mapping, **166**
genotype-environment interaction, **198**
gradients, **346**
grasshoppers, **651**
Greece, **551**
groundsel, **192**
Gryllus, **136**
Gypsy, **355**

haplotype, **143**
Hawaii, **238, 249, 257**
heritability, **100, 136, 178, 229**
heterochromatin, **77, 586**
heterozygosity, **118, 569, 616**
homogamy, **651**
host preference, **36**
host-parasite evolution, **1**
hybrid sterility, **603**
Hypothenemus hampei, **124, 130**

inbreeding, **569**
inbreeding depression, **83, 561**
insect cytogenetics, **70**
insecticide resistance, **124, 130**
intergenerational plasticity, **287**
interspecific hybridization, **36, 539**
interval mapping, **459**
intrafamily selection, **561**
intraspecific DNA changes, **524**
intraspecific polymorphisms, **143**
introgression, **539**
inverse autoallotriploids, **28**
inversions, **346**
irradiation effects, **335**
isoelectric point variation, **166**
isozymes, **65, 111, 346, 476, 531**
Italy, **267**

juvenile hormone binding, **136**
juvenile hormone esterase, **136**

karyotype, **77**

larvae, **55**
larval performance, **36**
life history evolution, **287**
likelihood ratio test, **377**
LINE, **355**
linkage, **192**
linkage disequilibrium, **346, 377**
local mate competition, **124, 130**
Lolium, **28**

maternal effects, **1, 100, 278**
mating system, **83**
meiosis, **186**
Mendelian segregation, **651**
microbial infection, **506**
microsatellites, **377, 465**
midgut, **9**
mitochondrial DNA, **207, 267, 465, 485, 514**
mixed-mating system, **65**
modifier gene polymorphisms, **404**
molecular markers, **156, 296, 459**
molecular systematics, **215**
morphological evolution, **222**
multiallelic markers, **207**
multigene family, **9**
multilocus enzyme electrophoresis, **592**
multivariate morphometrics, **222**
mutation load, **561**

natural selection, **346**
Nephrops norvegicus, **92**
Nicotiana glauca-langsdorffii, **335**
nontumour mutant, **335**
normalized disequilibria, **207**
NORs, **77, 586**
nucleotype, **524**
number of incompatibility alleles, **610**

oogenesis, **633**
Oreochromis niloticus, **640**
Orthoptera, **346**
oviposition behaviour, **43**

P elements, **384**
paired *t*-test, **198**
pairing initiation, **28**
Papaver rhoeas, **367**
parasitoid quantitative genetics, **43**

parental temperature effects, **287**
parthenogenesis, **305, 506, 539**
paternity analysis, **623**
PGI, **531**
phenotypic correlation, **178**
phenotypic plasticity, **427**
phenotypic variance, **118**
photoperiodism, **449**
phylogenetic autocorrelation, **222**
phylogeny, **392, 551**
phylogeography, **514, 640**
Physalis crassifolia, **497**
phytophagous insects, **36**
Pinus sylvestris, **412**
plant development, **524**
Plantago lanceolata, **287**
polymorphism, **118**
population differentiation, **412**
population genetics, **325, 367**
population structure, **143, 437, 465, 476, 514**
power of test, **156**
preferential fertilization, **651**
Prokelisia marginata, **43**
Pronolagus rupestris, **514**
protein markers, **166**
pseudoarrhenotoky, **124, 130**
Pseudobombax, **531**

QTL, **156, 459**
quadrivalents, **186**
quantitative characters, **296**

rabbit, **514**
RAPD-PCR, **325**
RAPDs, **215, 296, 412**
reaction norm, **229**
relational balance, **118**
repetitive DNA, **355**
repleta group, **355**
reproductive isolation, **278**
reproductive success, **100**
RFLPs, **111, 166**
rice, **296**
RT-PCR, **497**

Salmo trutta, **551**
salmonids, **317**
satellite DNA, **70**
Scolytidae, **130**
seagrass, **578**
seed abortion, **623**
seed maturation, **623**
segregation, **633**
selection, **229**
self-fertilization, **83**
self-incompatibility, **367, 476, 497, 610**
selfing, **561**
Senecio vulgaris, **192**
sex-limitation, **249, 257**
sexual behaviour decay, **506**
sexual reproduction, **449**
sexual selection, **19**
sexuality, **305**
sib-mating, **65**
sibling species, **485**
SINEs, **317**
snails, **278**
social behaviour, **65**
Sogatella furcifera, **229**
speciation, **278**
spider, **238, 249, 257**
sporophytic vigour, **623**
SSCP, **124**
stability variance, **198**
steady state, **367**
substructure, **610**
sunflower cytogenetics, **586**
supergene, **238**
synaptonemal complex, **28**

taxonomy, **267, 506**
thelytoky, **506**
Tephritidae, **592**
tetraploid, **186**
Theridion grallator, **238, 249, 257**
threshold trait, **229**
threshold values, **459**
Tilapia zillii, **640**
trade-offs, **178**
transposable elements, **384**
trap-nesting, **65**
Trifolium spp., **610**
Trillium kamtschaticum, **476**
tropical trees, **531**
tumour expression, **335**
two-dimensional electrophoresis, **166**

univalents, **186**

variance of *S*-allele frequency, **367**
Vicia faba, **524**

wild populations, **640**
wing dimorphism, **178, 229**
wing moult, **100**
Wolbachia, **506**